



## 2006 RETAIL PRICE LIST



## RCA INTERCONNECT CABLES

MODEL AND DESCRIPTION	LENGTH	RETAIL PRICE US \$
<b>ULTRA CONDUCTOR INTERCONNECTS</b>		
Flexible Alumiloy wire! JPS 24kt gold RCA's with blue aluminum barrel. These interconnects are great for those who are interested in hearing what very good cables can do without the high cost, or for rear or extra channels with better multi-channel systems. The UltraConductors easily mate with our more expensive cables as all JPS cables offer exceptional musicality and clarity. Even experienced listeners will be amazed at how much of a difference this cable makes. Even at many times their price, there are few cables that offer the UltraConductor's level of performance. Easy break-in with improved smoothness and bass extension after about 2 weeks of daily playing.	0.5M / 1.6 FT RCA PER PAIR	124
	1.0 M / 3.3 FT	149
	1.5 M / 5 FT	174
	2.0 M / 6.6 FT	199
	2.5 M / 8.2 FT	224
	3.0 M / 10 FT	249
	3.5 M / 11.5 FT	274
	4.0 M / 13.2 FT	299
	4.5 M / 14.8 FT	324
	5.0 M / 16.5 FT	349
	5.5 M / 18.1 FT	374
	6.0 M / 20 FT	399
	7.0 M / 23.3 FT	449
	8.0 M / 26.4 FT	499
	EVERY +0.5 M PER PAIR ADD	+25
<b>IPOD Ultra Conductor</b> - Big audio performance upgrade. Also for SAT radios and MP players.	1.0 M (3.5mm stereo to RCA's)	+149
	Every 0.5 M per cable add	+15
<b>THE SUPERCONDUCTOR FX INTERCONNECTS</b>		
Flexible quad Alumiloy conductors with our own premium heavy 24kt gold reverse locking RCA's. The finest in RFI, EMI, and noise rejection in the industry, surpassed only by our best! Excellent in long lengths, even unbalanced 8 meter cables still maintain resolution similar to shorter lengths; no hum, no noise, even in the most demanding noisy city environment. This cable ignores external factors, ground loops, etc., like no other. FX offers universal improvement in any system. Highly refined with excellent openness, soundstage, and bass definition, and very dynamic. Improved smoothness and bass extension after about 2 weeks of daily playing. Beginners to experienced customers and any level of system quality would appreciate FX!	0.5 M RCA PER PAIR	299
	0.75 M	324
	1.0 M	349
	1.5 M	399
	2.0 M	449
	2.5 M	499
	3.0 M	549
	3.5 M	599
	4.0 M	649
	4.5 M	699
	5.0 M	749
	5.5 M	799
	6.0 M	849
	7.0 M	949
	8.0 M	1049
EVERY +0.5 M PER PAIR ADD	+50	
<b>IPOD SUPERCONDUCTOR FX</b> - Huge audio upgrade. Also for SAT radio and MP3 players.	1.0 M (3.5mm stereo to RCA's)	249
	Every 0.5 M per cable add	+25
<b>NEW!!! THE SUPERCONDUCTOR 3</b>		
Our long-term reference Superconductor 2 used by professional reviewers, equipment manufacturers, and customers, worldwide has been redesigned with greater flexibility and even more low level clarity! New Quad Alumiloy conductors combined with the finest shield and cable topology in audio (second only to our Aluminata Series) provides an interconnect with unique abilities. Premium WBT RCA's hand soldered with select materials and consistency to finish off an interconnect design ahead of it's time. Amazing low level resolution, impeccable balance from the lowest lows to beyond audibility, honest to the original recording. This interconnect provides a unique clarity to vocals like no other. Long lengths are sonically flawless. Simply one of the finest cables money can buy!	0.5 M RCA PER PAIR	799
	0.75 M	899
	1.0 M	999
	1.5 M	1199
	2.0 M	1399
	2.5 M	1599
	3.0 M	1799
	3.5 M	1999
	4.0 M	2199
	4.5 M	2399
	5.0 M	2599
	5.5 M	2799
	6.0 M	2999
	7.0 M	3399
	8.0 M	3799
EVERY +0.5 M PER PAIR ADD	+200	
<b>NEW! ALUMINATA Reference RCA Interconnect</b>	<b>Our Finest Interconnect Cables</b>	<b>See Aluminata Page</b>
<b>For center channel/single cables, simply divide the pair cost above by 2.</b>		

## BALANCED INTERCONNECT CABLES

MODEL AND DESCRIPTION	LENGTH	RETAIL PRICE US \$
<p style="text-align: center;"><b>BALANCED ULTRA CONDUCTOR</b></p> <p>Balanced version of the RCA UltraConductors. Quality gold plated XLRs hand-soldered to very flexible Alumiloy conductors offers excellent lower cost cables for systems preferring balanced connections. Longer lengths are no problem and noise free with no loss of detail. Excellent for those who do not want to spend a fortune for balanced cables but want to be very happy with their component selections. Smaller, very flexible shielded cable with Alumiloy conductors, larger in gauge than most any other brand of balanced cable for excellent signal transfer.</p>	1.0 M / 3.3 FT XLR PER PAIR	199/pr.
	1.5 M / 4.5 FT	224
	2.0 M / 6.6 FT	249
	2.5 M / 8.2 FT	274
	3.0 M / 10 FT	299
	3.5 M / 11.5 FT	324
	4.0 M / 13.2 FT	349
	4.5 M / 14.8 FT	374
	5.0 M / 16.5 FT	399
	5.5 M / 18.1 FT	424
	6.0 M / 20 FT	449
	7.0 M / 23.3 FT	499
	8.0 M / 26.4 FT	549
	9.0 M / 29.7 FT	599
10.0 M / 33 FT	649	
	+0.5 M / 1.6 FT PER PAIR ADD	+25
<p style="text-align: center;"><b>THE SUPERCONDUCTOR FX BALANCED</b></p> <p>Flexible quad Alumiloy conductors in a balanced design with the industry's finest shielding (RFI and EMI rejection) for consistent noise free operation regardless of how many electronic 'noise sources' you have in your home or studio. Quality gold plated XLR's hand-soldered and assembled using select materials. Just as with the RCA version, FX Balanced offers very good low level detail, proper sense of space, excellent separation of instruments, quiet backgrounds, and consistent satisfaction even in the most demanding systems. Superconductor FX offers music and harmonic details in a way most have never heard. Excellent in long lengths! A great cable for mid-fi or better components, and resolving systems with good to great speakers.</p>	0.75 M BALANCED XLR PER PAIR	424/pr.
	1.0 M	449
	1.5 M	499
	2.0 M	549
	2.5 M	599
	3.0 M	649
	3.5 M	699
	4.0 M	749
	4.5 M	799
	5.0 M	849
	5.5 M	899
	6.0 M	949
	7.0 M	1049
	8.0 M	1149
9.0 M	1249	
	EVERY +0.5 M PER PAIR ADD	+50
<p style="text-align: center;"><b>NEW!!! THE SUPERCONDUCTOR 3 BALANCED</b></p> <p>Simply one of the finest balanced cables available. Fully balanced in to out using a Quad lay of our Alumiloy wire for the finest in noise cancellation and magnetic field rejection. High quality 24 kt gold plate JPS XLR's with a conductive metal shell for complete shielding. As with the RCA version, our trademarked Alumiloy conductors allow for amazing clarity and near perfect tonal balance. The JPS shield was engineered to be the finest in the industry (second only to Aluminata Series) for absolute noise free clear signal transfer in any length or environment, allowing any system configuration to be true to the source. Superconductor 3 is the last interconnect cable you will ever need!</p>	0.75 M XLR PER PAIR	999/pr.
	1.0 M	1099
	1.5 M	1299
	2.0 M	1499
	2.5 M	1699
	3.0 M	1899
	3.5 M	2099
	4.0 M	2299
	4.5 M	2499
	5.0 M	2699
	5.5 M	2899
	6.0 M	3099
	7.0 M	3499
	8.0 M	3899
	EVERY +0.5 M PER PAIR ADD	+200
<b>NEW! ALUMINATA Reference Balanced Interconnect</b>	<b>Our Finest Interconnect Cables</b>	<b>See ALUMINATA page</b>
<p><b>For center channel/single cables, simply divide the pair cost above by 2.</b>  MIMUM LENGTHS AS SHOWN (SHORTER ARE NOT RECOMMENDED).</p>		

## DIGITAL AND VIDEO INTERCONNECT CABLES

MODEL AND DESCRIPTION	LENGTH	RETAIL PRICE US \$
<b>ULTRA CONDUCTOR DIGITAL VIDEO</b> Our 75 ohm video cables offer excellent video contrast and resolution, and double as a good low cost SPD/IF digital cable for DVD, CD, cable or satellite box digital outputs. High quality gold plate RCA or BNC connectors UL/CSA/CM/FT-4 rated. HD Quality!	1.0 M / 3.3 FT RCA OR BNC	79 ea.
	1.5 M / 5 FT	89
	2.0 M / 6.6 FT	99
	3.0 M / 10 FT	119
	4.0 M / 13.2 FT	139
	6.0 M / 20 FT	179
	EVERY +1.0 M ADD	+20
<b>ULTRA CONDUCTOR COMPONENT VIDEO</b> Three cable video R/G/B set of above. Using full size separate coaxial cables minimizes losses and crosstalk for maximum clarity, particularly in long lengths. Also available as a five cable RGBHV set (multiply price by 1.67). Component video format offers the highest quality picture. UL/CSA/CM/FT-4 rated. HDTV Quality! Separate R-G-B cables.	1.0 M RCA or BNC	199 / set of 3
	1.5 M	229
	2.0 M	259
	3.0 M	319
	4.0 M	379
	5.0 M	439
	6.0 M	499
	EVERY +1.0 M ADD	+60 / set
<b>ULTRA CONDUCTOR S-VIDEO</b> The most popular cable choice for better quality video. Dual precision miniature 75 ohm coaxial cables in one. Quality gold plated 4 pin connectors. This cable provides excellent image quality for the S-Video format with great picture contrast and resolution.	1 M / 3 FT	99 ea.
	1.5 M / 5 FT	114
	2 M / 7 FT	129
	3 M / 10 FT	159
	6 M / 20 FT	249
	Custom lengths over 6 M ADD per M	+30
<b>ULTRA CONDUCTOR OPTICAL DIGITAL</b> High resolution digital audio toslink optical cable. High quality JPS connectors perfectly align fiber.	1.0 M	99 ea.
	2.0 M	129
<b>THE SUPERCONDUCTOR FX DIGITAL</b> Digital audio optimized cable. One of the finest cables available in this price range. Alumiloy conductors with the finest shield in the industry, FX Digital can handle any future sampling rates. Offers a similar sonic character as the analog FX interconnects but in the digital domain.	0.75 M RCA or BNC	274 ea.
	1.0 M	299
	1.5 M	349
	2.0 M	399
	3.0 M	499
	4.0 M	599
	EVERY +0.5 M ADD	+50
<b>THE SUPERCONDUCTOR FX AES/EBU BALANCED DIGITAL</b> Digital audio optimized cable with fully balanced topology. One of the finest shields in the industry, yet very flexible, this cable will transfer a digital signal with minimal jitter and loss, while keeping the signal and components free from noise.	0.75 M XLR	324 ea.
	1.0 M	349
	1.5 M	399
	2.0 M	449
	2.5 M	499
	3.0 M	549
	EVERY +0.5 M ADD	+50
<b>NEW!!! THE SUPERCONDUCTOR 3 DIGITAL (SPD/IF)</b> Enlarged Alumiloy conductors with the finest shield in audio now with greater flexibility provide for dynamic range and lossless digital information transfer without limits even at the highest of sampling rates. As with the JPS analog interconnects, great clarity, resolution, and highly refined sound are included in the price.	0.75 M RCA	549 ea.
	1.0 M	599
	1.5 M	699
	2.0 M	799
	EVERY +0.5 M ADD	+100
<b>NEW!!! THE SUPERCONDUCTOR 3 AES/EBU BALANCED DIGITAL</b> The finest in balanced digital! Fully balanced digital optimized topology using quad Alumiloy conductors for greater flexibility, minimum jitter and digital errors, and magnetic field rejection. Gold 24 kt plate XLR's. Greatly improves reproduction on any quality component with excellent clarity and resolution.	0.75 M XLR	549 ea.
	1.0 M	599
	1.5 M	699
	2.0 M	799
	2.5 M	899
	EVERY +0.5 M ADD	+100

**0.5 meter = 1.6 feet, 1.0 M = 3.3 feet**

## SPEAKER CABLES

MODEL AND DESCRIPTION	LENGTH	RETAIL PRICE US \$
<p><b>ULTRA CONDUCTOR SPEAKER CABLE</b></p> <p>These more affordable JPS designs bring out high-end performance from any quality loudspeakers. Introduce yourself to a whole new level of musical reproduction and the reality that good cables make a good system great! Very flexible Alumiloy conductors are oriented to reject noise at any length and offer the clarity and harmonic richness any system deserves yet rarely has. The Ultra's were designed from scratch to be an excellent introduction to what JPS Labs is all about, beyond the norm. Gold plated spades (6 mm / 1/4" opening) or hardened gold plated bananas. Optional larger rhodium spades. Please specify in and out ends from above when ordering, default are high quality bananas.</p>	6 FT / 1.8 M per pair 6mm gold spades or gold bananas	174/pr.
	8 FT / 2.4 M	199
	10 FT / 3.0 M	224
	12 FT / 3.6 M	249
	14 FT / 4.2 M	274
	16 FT / 4.8 M	299
	18 FT / 5.4 M	324
	20 FT / 6.0 M	349
	25 FT / 7.6 M	412
	30 FT / 9.0 M	475
	35 FT / 10.6 M	538
	40 FT / 12 M	600
	45 FT / 13.6 M	663
	50 FT / 15 M	726
	EVERY 2 FT PER PAIR ADD	+25
	Optional 7.5 mm rhodium spades	<b>+6/spade</b>
<p><b>ULTRA CONDUCTOR DUAL BI-WIRE</b></p> <p>Double runs of above single cables for a true bi-wired design (combined to 2 terms in to 4 out at the speaker), basically two speaker cables twisted into one, times two to make a pair. Gold plated spades (6 mm / 1/4" opening) or hardened gold plated bananas. Optional 7.5mm rhodium spades. Please specify in and out ends when ordering, default are high quality bananas. (Bi-wiring is a method of connecting a speaker to an amplifier to better isolate any interaction between the woofer(s) and midrange/tweeter(s), bringing the interaction to the amplifiers' low output impedance where it may be significantly reduced. Effective bi-wiring requires an effective bi-wired cable design such as JPS, a powerful amplifier, and a 'reactive' speaker design.)</p>	6 FT / 1.8 M per pair 6mm gold spades or gold bananas	299/pr.
	8 FT / 2.4 M	349
	10 FT / 3.0 M	399
	12 FT / 3.6 M	449
	14 FT / 4.2 M	499
	16 FT / 4.8 M	549
	18 FT / 5.4 M	599
	20 FT / 6.0 M	649
	25 FT / 7.6 M	774
	30 FT / 9.0 M	899
	35 FT / 10.6 M	1024
	40 FT / 12 M	1149
	45 FT / 13.6 M	1274
	50 FT / 15 M	1399
	EVERY 2 FT PER PAIR ADD	+50
	Optional 7.5 mm rhodium spades	<b>+6/spade</b>
<p><b>THE SUPERCONDUCTOR FX BI-WIRE</b></p> <p>Think about removing the environment, to an audio system owner it's pure enjoyment and is what FX is all about. These speaker cables approach the above average abilities of the more expensive Superconductor+ speaker cables for less. Fully shielded quad Alumiloy with 7.5 mm rhodium spades or hardened gold bananas. Compact and flexible design! Bi-wire only. See Superconductor+ Petite below for non-bi-wired.</p>	6 FT / 1.8 M per pair 7.5 mm rhodium spade standard	539/pr.
	8 FT / 2.4 M	599
	10 FT / 3.0 M	659
	12 FT / 3.6 M	719
	14 FT / 4.2 M	779
	16 FT / 4.8 M	839
	18 FT / 5.4 M	899
	20 FT / 6.0 M	959
	EVERY 2 FT PER PAIR ADD	+60
	Optional 7.5 mm rhodium spades	<b>+6/spade</b>
<p><b>THE SUPERCONDUCTOR+ PETITE</b></p> <p>A great speaker cable, and the lowest cost in this line. Best with 6 ohm and up speakers, the Petites offer well balanced sound with a very black background, amazingly smooth presentation, low level details, all the life-like qualities of the original recording, intact! Never bright, never boring. Superconductor+ with Alumiloy is excellent with any level of speakers. Rhodium 7.5 mm spade is default termination, gold hardened banana, or optional WBT locking banana. Compact solid core Alumiloy design.</p>	4 FT / 1.2 M per pair 7.5 mm rhodium spade standard	599/pr.
	6 FT / 1.8 M	624
	8 FT / 2.4 M	699
	10 FT / 3.0 M	774
	12 FT / 3.6 M	849
	14 FT / 4.2 M	924
	16 FT / 4.8 M	999
	18 FT / 5.4 M	1074
	20 FT / 6.0 M	1149
	EVERY 2 FT PER PAIR ADD	+75

**MORE SPEAKER CABLES ON NEXT PAGE - MINIMUM LENGTHS AS SHOWN**  
**For center channel/single cables, simply divide the pair cost above by 2.**

## SPEAKER CABLES

MODEL AND DESCRIPTION	LENGTH	RETAIL PRICE US \$	
<b>THE SUPERCONDUCTOR+ SINGLE</b>  Single meaning one big cable, this is one of our largest cable designs, and can properly mate an amp with any speaker load, even the most current hungry electrostatics. Our most universal design, the Single Superconductor+ excels in being non-reactive and allowing the amp to completely control the speaker. Rhodium 7.5 mm spade is default termination, WBT locking bananas optional (\$). Use with a set of JPS jumpers for any demanding low impedance bi-wired speakers. Exceptional in long lengths where loss of dynamics are a concern. Large 9 AWG (6.6 mm <sup>2</sup> ) Alumiloy conductor.	4 FT / 1.2 M per pair 7.5 mm rhodium spade standard	774/pr.	
	6 FT / 1.8 M	849	
	8 FT / 2.4 M	999	
	10 FT / 3.0 M	1149	
	12 FT / 3.6 M	1299	
	14 FT / 4.2 M	1449	
	16 FT / 4.8 M	1599	
	18 FT / 5.4 M	1749	
	20 FT / 6.0 M	1899	
	22 FT / 6.7 M	2049	
	24 FT / 7.3 M	2199	
	EVERY 2 FT PER PAIR ADD	+150	
	<b>THE SUPERCONDUCTOR+ BI-WIRE</b>  A true bi-wire with separate dual Alumiloy cables combined inside one fine jacket, one cable for each the bass and mid-highs. This bi-wire was designed specifically to allow effective separation of the speaker drivers on bi-wired speakers while conveying excellent bass definition and clear silky smooth mids and highs. Very few speaker cables can compare to this bi-wire regardless of price, and its pedigree goes back 10+ years as one of the finest speaker cables made. Rhodium 7.5 mm spade is default term- WBT locking bananas optional (\$).	4 FT / 1.2 M per pair 7.5 mm rhodium spade standard	924/pr.
6 FT / 1.8 M		999	
8 FT / 2.4 M		1149	
10 FT / 3.0 M		1299	
12 FT / 3.6 M		1449	
14 FT / 4.2 M		1599	
16 FT / 4.8 M		1749	
18 FT / 5.4 M		1899	
20 FT / 6.0 M		2049	
22 FT / 6.7 M		2199	
24 FT / 7.3 M		2349	
EVERY 2 FT PER PAIR ADD		+150/pr.	
<b>Optional WBT spade- ADD to Super+ cost</b>		1/4" (6 mm) or 5/16" (8 mm) copper	+20 ea.
<b>Optional WBT banana- ADD to Super+ cost</b>	Angled locking banana	+20 ea.	
<b>Optional 9 mm rhodium spade</b>	Large spade for big terms	No added cost	
<b>NEW! THE SUPERCONDUCTOR 3</b> AVAILABLE JULY 2006  An all new design with improved flexibility to replace the long term reference NC Series. Offers great clarity and inner detail, highly accurate bass, and complete refinement throughout with abilities so far ahead of its time it must be heard to understand! Newly developed huge 5 AWG (16.8mm <sup>2</sup> ) Alumiloy conductors allow any amplifier complete control of any loudspeaker. JPS interconnects and AC cables are highly recommended to fully appreciate these cables. Premium WBT copper 6 or 8 mm spades, or WBT angled locking bananas.	4 FT / 1.2 M per pair Choice of WBT spades or bananas	2649/pr.	
	6 FT / 1.8 M	2799	
	8 FT / 2.4 M	3099	
	10 FT / 3.0 M	3399	
	12 FT / 3.6 M	3699	
	14 FT / 4.2 M	3999	
	16 FT / 4.8 M	4299	
	18 FT / 5.4 M	4599	
	20 FT / 6.0 M	4899	
	EVERY 2 FT PER PAIR ADD	+300	
	<b>NEW! ALUMINATA Reference Speaker Cable</b>	<b>Our Finest Speaker Cables</b>	<b>See ALUMINATA page</b>
	<b>JPS JUMPERS- Designed for use with our finest cables.</b> Use with single speaker cables to jumper out bi-wire speaker terminals. Rh spades or hardened bananas- WBT optional (\$)	Set of 4 6 "/15 cm length, 8 AWG/8.36 mm <sup>2</sup>	120/set

**For center channel/single cables, simply divide the pair cost above by 2.**

## POWER AC CABLES AND ACCESSORIES

JPS Labs power products are designed to allow for maximum low level detail, excellent bass extension and weight, and smooth yet detailed mids and highs. Like all JPS products, our cords are NOT designed to change a components tonality (neither brighten nor darken). By providing cords engineered for specific applications and with finely tuned characteristics, an optimum interface to the source of power can be made, making JPS AC cables quite universal in improving any system by minimizing noise and interactions between individual components and their environment, and maximizing resolution, speed and clarity. Our finest Kaptovator and Aluminata AC cables are designed to dramatically improve resolution on any quality component well beyond even the original equipment manufacturer's expectations. Our power experience is second to none, making JPS AC cables uniquely effective. Try one and enjoy the improvement.

MODEL AND DESCRIPTION	SPECS	RETAIL PRICE US \$
<p style="text-align: center;"><b>GPA 2 AC Cord</b></p> <p>Noticeably improves any component! 24 kt heavy gold plate US hospital grade plug. Great introduction to a good aftermarket AC cord, or for higher performance on a budget.</p>	2 meter (6.6 feet) length. 12 AWG (3.31 mm <sup>2</sup> ) conductors easily handle higher power demands. US plug standard, Gold Euro, gold UK, or 20 AMP IEC <b>optional</b> . UL/CSA	199
<p style="text-align: center;"><b>GPA 2 AC Outlet Center</b></p> <p>Made with the cord above attached to a quality quad outlet center. Great way to make 4 outlets from one, or extend a good outlet closer to components. Hospital grade.</p>	2 meter - 4 US outlets Non-filtered other than what is inherently provided by our cord. Gold plated Euro or gold UK wall plug <b>optional</b> . UL/CSA	249
<b>Custom GPA 2</b> lengths (non-gold US AC plug)	<b>ADD +1.0 M</b> length to above 2M	<b>+36/extra meter</b>
<p style="text-align: center;"><b>DIGITAL AC Cord</b></p> <p>Worlds first AC cord that perfectly mates with any low power digital based audio or video component such as CD, SACD, transport, DAC, DVD, or universal player, as well as plasma, DLP or LCOS projectors, or any video processor. High RF noise isolation! Stereophile recommended!</p>	2 meter / 6.6 feet ONLY US plug standard, Euro or gold UK <b>optional</b> . UL and CSA, or VDE (Euro)	349
<p style="text-align: center;"><b>ANALOG AC Cord</b></p> <p>Great for low power analog components such as solid state preamps, phono stage, motor control, high voltage supplies. Highly filtered!</p>	2 meter / 6.6 feet ONLY US plug standard, Euro or gold UK <b>optional</b> . UL and CSA, or VDE (euro)	349
<p style="text-align: center;"><b>POWER AC+ Cord</b></p> <p>Specifically designed for any size amplifier, power delivery (conditioners, balanced power), or tube preamps. Huge 8 AWG (8.36 mm<sup>2</sup>) conductor will handle any power demands! Power AC+ is a long-term favorite and an all around Excellent AC cord upgrade.</p>	2 meter (other lengths optional) Industrial grade US plug standard, Heavy duty Euro or UK 24kt gold plated wall plugs <b>optional</b> . Cable is good for over 200 amps peak current! UL/CSA, 600 volt rated.	499
<p style="text-align: center;"><b>POWER AC+ Outlet Center</b></p> <p>Made with our PAC+ cord above. Excellent for extending from a wall outlet to rack or amps, or for making 4 high quality outlets from one. Highly recommended for use with our AC cords if wall outlets are not available.</p>	2 meter – 4 x US hospital grade outlets. Euro or UK 24kt gold plated wall plug <b>optional</b> . Cable good for over 200 amps peak current! UL/CSA, 600 volt rated.	550
<b>ANY POWER AC+</b> custom length	Every <b>+0.5 M/-0.5 M</b> (1 meter min.)	<b>+50/-25</b>
<p style="text-align: center;"><b>Optional plug styles other than US style</b></p> <p>Gold plate UK or Euro/SCHUKO wall plug (or add cost for 20 AMP IEC on GPA 2 only)</p>	<b>Add to above cord cost (Kaptovator or Aluminata at no extra charge)</b>	<b>+50</b>
<p style="text-align: center;"><b>The KAPTOVATOR AC Cable</b></p> <p>A long-term reference. Compact flexible cable design. Greatly increases resolution and clarity throughout the frequency spectrum on any component. Big 8 AWG (8.36 mm<sup>2</sup>) great for any power demands (amp or conditioner), yet excellent on any low power components. Mids and highs with excellent clarity, bass detail and definition like no other AC cord!</p>	2 meter – US, Euro, or UK 24kt gold plated plug styles included in price. Larger 20 AMP IEC or Levinson right angle IEC available at no extra charge. 600+ volt spec, hi-current. Cable good for over 200 amps peak current!	1499
<b>MORE AC PRODUCTS ON NEXT PAGE</b>		

## POWER AC CABLES AND ACCESSORIES- CONTINUED

MODEL AND DESCRIPTION	SPECS	RETAIL PRICE US \$
<p style="text-align: center;"><b>The KAPTOVATOR AC Outlet Center</b></p> <p>Three US style outlets with internal copper buss bars and our EOL network only found in the Aluminata cord. A must have for use with the Kaptovator or Aluminata AC cords if there is no nearby wall outlet. 8 AWG/8.36 mm2</p>	2 meter length- 3 heavy duty individual US style industrial grade outlets connected by copper busses- US, Euro, or UK 24kt gold plated <b>wall plug</b> , 600+ volt spec, high-current.	1999
Any <b>The KAPTOVATOR</b> custom length	Every <b>+0.5 M/-0.5 M</b> (1.0 M min.)	<b>+300/-150</b>
<b>ALUMINATA Reference AC Cable</b>	<b>Our Finest AC Cable!</b>	<b>See ALUMINATA page</b>
<p style="text-align: center;"><b>POWER AC IN-WALL CABLE</b></p> <p>The first high-end power cable for home or professional dedicated AC wiring. Dramatic improvement over any commercial cable offering excellent clarity and tonality.</p>	2 x10 AWG (5.26 mm2) + ground UL VW-1, CSA FT-1, 105 C 600volt/30 amp , 0.6"/16mm dia.	18 / FT
<p style="text-align: center;"><b>JPS Duplex Outlet</b></p> <p>Hospital grade, ground isolated- US style only. Bright nickel plated contacts improve conductivity and eliminate oxidation. Heavy tight fitting contacts reduce resistance.</p>	Accepts and clamps on up to a 10 AWG (5.26 mm2) cable. Specify white, gray, or red color.	40
<p style="text-align: center;"><b>ALL JPS AC CORDS COME STANDARD IN 2 METER LENGTHS WITH US STYLE WALL PLUGS, AND STANDARD 15 AMP IEC ENDS. US STYLE OUTLETS ONLY ON OUTLET CENTERS. OPTIONAL STYLES AND LENGTHS AS LISTED. JPS RECOMMENDS AT LEAST 2 METER LENGTHS FOR BEST RESULTS. OTHER LENGTHS AVAILABLE AS LISTED.</b></p>		

## SUPER BLUE - HIGH QUALITY JPS CABLE BY THE FOOT

MODEL AND DESCRIPTION	SPECS	RETAIL PRICE US \$
<p style="text-align: center;"><b>SUPER BLUE</b></p> <p>Professional grade In-wall Speaker Cable O.F.M. design rejects noise and maximizes sound quality in long lengths. Available in 2 or 4 conductor versions</p>	14 AWG (2 or 4 conductor) UL/CSA/CL3/PLTC/FT4 300 volt 2 cond.32"/ 8.1 mm OD 4 cond .42"/ 10.7 mm OD 500 FT/152 M full spool length	3/FT 2 cond. 5/FT 4 cond. per FT
<p style="text-align: center;"><b>SUPER BLUE 2</b></p> <p>Our Finest In-wall Speaker Cable! Audiophile grade- Smooth detailed sound and maximum bass definition and extension.</p>	12 AWG x2 UL/CSA/CL3/PLTC/FT4 300 volt 0.45"/ 11.4 mm round OD 500 FT/152 M full spool length	6/FT 2 cond. only
<p style="text-align: center;"><b>SUPER BLUE Video</b></p> <p>Very low loss, high contrast video. Maximizes contrast by lowering black levels.</p>	Low loss true 75 ohm UL/CM/CuL Accepts RG-59 style connectors 250 FT/76M full spool length	2/FT
Minimum lengths may apply.		

Super Blue speaker cables offer very high quality results with in-wall or standard loudspeakers, providing excellent balance, noise rejection, and very good detail without brightness, even in long lengths. Super Blue Video Cables minimize noise and component interaction with excellent shielding and JPS specified materials, and provide for true-to-life picture resolution and excellent black levels.

# ALUMINATA SERIES - THE WORLD'S ABSOLUTE FINEST CABLES™

MODEL AND DESCRIPTION	SPECS	RETAIL PRICE US \$
<b>ALUMINATA Reference Interconnect</b>  These interconnects provide the absolute finest in signal path between components. A new Alumiloy wire design totally protected from all forms of noise, hum, or hiss by our proprietary PAS shielding (see below), these interconnects smoothly provide maximum clarity and subtle detail, the finest midrange with exacting detail yet full bodied, and the finest in bass definition and impact. There is simply nothing better in interconnect at any price. The best mate to our finest line of speaker cables. Premium WBT RCA connectors or custom JPS 24 kt gold XLR's.	0.75 M PER PAIR RCA or BALANCED XLR	2699
	1.0 M / 3.3 FT	2999
	1.5 M / 4.5 FT	3599
	2.0 M / 6.6 FT	4199
	2.5 M / 8.2 FT	4799
	3.0 M / 10 FT	5399
	3.5 M / 11.5 FT	5999
	4.0 M / 13.2 FT	6599
	4.5 M / 14.8 FT	7199
	5.0 M / 16.5 FT	7799
	5.5 M / 18.1 FT	8399
	6.0 M / 20 FT	8999
	7.0 M / 23.3 FT	10,199
	8.0 M / 26.4 FT	11,399
EVERY 0.5 METER PER PAIR	+600	
<b>ALUMINATA Reference Speaker Cable</b>  These cables provide the absolute finest path from amplifier to loudspeaker. Consistently even, extended true to life bass definition and impact, smooth detailed midrange and highs, all within a perfectly black background for complete clarity of sound. Individual instruments have all dimensional cues and clear separation from each other. No hint of any portion of the frequency spectrum being out of balance or phase from another; coherent sound from the highest highs down to the lowest lows. Simply the Best! JPS Labs Superconductor 2 or 3, or Aluminata interconnects, are a must have mate, Aluminata AC cables highly recommended.	4 FT / 1.2 M PER PAIR Choice of WBT silver 6 or 8 mm spades, or WBT locking bananas	6099
	6 FT / 1.8 M	7299
	8 FT / 2.4 M	8499
	10 FT / 3.0 M	9699
	12 FT / 3.6 M	10,899
	14 FT / 4.2 M	12,099
	16 FT / 4.8 M	13,299
	18 FT / 5.4 M	14,499
	20 FT / 6.0 M	15,699
	EVERY 2 FOOT PER PAIR	+1200
<b>ALUMINATA Jumpers- for Biwiring</b>	Our Finest - 6" length - set of 4	400
<b>ALUMINATA Reference AC Cable</b> The absolute finest power cable made! Offers a significant improvement throughout on any component. An already excellent system will have perfect tonality and maximum subtle details. Unlimited power, speed, and bass definition. Allows for the finest audio or video reproduction available from any quality component! This cord has no equal!	2 meter – US, Euro, or UK 24kt gold plated plug styles, gold plate 15 or 20 Amp IEC. Huge 8 AWG (8.36 mm2). The Aluminata AC Cable goes well beyond the most demanding Audiophile's expectations. Highly refined and enjoyed worldwide!	3499
<b>ALUMINATA AC Cable custom length</b>	+0.5 M / -0.5 M (1 meter minimum)	+700/-350
<b>ALUMINATA Reference Digital Cable</b> The most superbly resolving digital cable available! Digital audio highly benefits from the PAS, and in fact it isolates high frequency noise generated by the digital components. Pure, clean, digital...	0.75 M RCA (SPD/IF) or XLR Balanced (AES/EBU)	1449
	1.0 M	1599
	1.5 M	1899
	2.0 M	2199
	EVERY 0.5 M ADDED	+300
Minimum recommended lengths as shown.		

JPS Labs' Aluminata Series of cables all include our proprietary Particle Aluminum Shield (PAS), the only shield in the world that combines the non-reactive properties of our aluminum alloys and our long-term engineering experience in high frequency absorption and noise containment. JPS Labs PAS technology provides for a total lack of any form of noise in signal and sound, wide-band noise absorption and containment of the highest magnitude of both external and internal component generated sources, eliminates component interaction and high frequency ground loops never before realized. Combined with our Alumiloy conductors, PAS allows for complete dynamic clarity without harshness or brightness with universal performance in any listening environment, in any quality system, anywhere in the world. As with most every JPS Labs product, the Aluminata Series are forward thinking designs years ahead of others; their virtues and your investment will be maintained for many years to come.


2006 RETAIL PRICE LIST



GPA 2 AC CORD



ALUMINATA AC CABLE



KAPTOVATOR AC CABLE AND OUTLET CENTER



POWER AC+ CORD

ALUMILOY®

CONDUCTORS EXCLUSIVELY BY JPS LABS




RCA



ULTRA CONDUCTOR CABLES

SUPERCONDUCTOR FX



BALANCED



SUPERCONDUCTOR+ SPEAKER CABLES



SUPERCONDUCTOR+ BIWIRE



SUPERCONDUCTOR 2



NEW!!! ALUMINATA SPEAKER AND INTERCONNECT CABLES

WBT LOCKING BANANA



WBT SPADES 8 mm



6 mm

JPS JUMPERS



7.5 MM RHODIUM SPADES

