



PIEGA **P Series**



**PIEGA**  
SWITZERLAND

Passion



# PIEGA P Series

The limited available column loudspeaker

## P 5 LTD MKII

The slim column loudspeaker in a limited edition. Fitted with one coaxial ribbon and two high-quality 18cm woofers with an aluminum membrane. What hi-fi experts call «singular frequency linearity» and «resonance-free cumulative decay spectrum» means for music lovers that their favorite music is reproduced faithfully even at very low volume.

The column loudspeaker

## P 5 MKII

The technically simpler version of the limited edition. The same attractive and acoustically neutral cabinet in polished aluminum. Two accurate bass woofers. The PIEGA LDR ribbon tweeter. This all together results in authentic music.

The column loudspeaker

## P 4 L MKII und P 4 XL MKII

The entry level to the P Series. Modern, slimline designs, that are ideal where sound requirements are greater than the space available. With one or two 13cm woofers for a full-bodied uncompressed bass performance. And with the PIEGA LDR ribbon tweeter for clean and unerring musical integrity.

The center loudspeaker

## P 4 C MKII

The PIEGA P 4 C MKII center loudspeaker was designed for the most demanding requirements and combines outstanding home cinema quality with modest dimensions. It comes with all the technical benefits of the P Series for the creation of awe-inspiring systems.

The compact loudspeaker

## P 4 XS MKII

The small yet elegant shelf loudspeaker stands out with all the benefits of the larger models. Even in medium-sized rooms the loudspeaker offers an impressively full-bodied sound in the entire music spectrum.



P 5 LTD MKII

P 5 MKII



P 4 XL MKII

P 4 L MKII













P 4 C MKII

P 4 XS MKII

## Technical Data

Model	<b>P 5 LTD MKII</b>	<b>P 5 MKII</b>	<b>P 4 XL MKII</b>
Design principle	3-way column loudspeaker coaxial system	3-way column loudspeaker	3-way column loudspeaker
Recommended amplifier output	20 – 250 Watt	20 – 250 Watt	20 – 200 Watt
Sensitivity	91 db/W/m	91 db/W/m	89 dB/W/m
Impedance	4 Ohm	4 Ohm	4 Ohm
Frequency range	30 Hz – 50 kHz +/-2dB	30 Hz – 50 kHz +/-2dB	35 Hz – 50 kHz +/-2dB
Equipment	2 18 cm C1 bass 1 C2 coaxial ribbon	2 18 cm LDB bass 1 LDR ribbon	2 13 cm LDB bass 1 LDR ribbon
Connection	Bi-Wiring / BWT	Bi-Wiring / BWT	Bi-Wiring / BWT
Dimensions (HxWxD)	152 x 18 x 22 cm	152 x 18 x 22 cm	121 x 18 x 22 cm
Weight	27 kg	23 kg	19 kg
Finish	Polished metal cabinet, front grill in silver	Polished metal cabinet, cloth covering in black (surcharge for front grill in silver)	Polished metal cabinet, cloth covering in black (surcharge for front grill in silver)

Model	<b>P 4 L MKII</b>	<b>P 4 C MKII</b>	<b>P 4 XS MKII</b>
Design principle	2-way column loudspeaker	2-way center loudspeaker	2-way compact loudspeaker
Recommended amplifier output	20 – 200 Watt	20 – 200 Watt	20 – 200 Watt
Sensitivity	89 db/W/m	89 dB/W/m	89 dB/W/m
Impedance	4 Ohm	4 Ohm	4 Ohm
Frequency range	38 Hz – 50 kHz +/-2dB	40 Hz – 50 kHz +/-2dB	40 Hz – 50 kHz +/-2dB
Equipment	1 13 cm LDB bass 1 LDR ribbon	2 13 cm LDB bass 1 LDR ribbon	1 13 cm LDB bass 1 LDR ribbon
Connection	Bi-Wiring / BWT	Bi-Wiring / BWT	Bi-Wiring / BWT
Dimensions (HxWxD)	101 x 16 x 20 cm	16 x 61 x 20 cm	31 x 18 x 22 cm
Weight	14 kg	12 kg	6 kg
Finish	Polished metal cabinet, cloth covering in black (surcharge for front grill in silver)	Polished metal cabinet, cloth covering in black (surcharge for front grill in silver)	Polished metal cabinet, cloth covering in black (surcharge for front grill in silver)



## Service

PIEGA offers first-class service and six years warranty on all loudspeakers, as well as three years on the electronics.

PIEGA SA  
Bahnhofstrasse 29  
CH-8810 Horgen  
Telephone +41 44 725 90 42  
Fax +41 44 725 91 92  
mail@piega.ch  
www.piega.ch

### Information for Exports

PIEGA SA  
Bahnhofstrasse 29  
CH-8810 Horgen  
Telephone +41 44 725 90 02  
Fax +41 44 725 91 92  
mail@piega.ch  
www.piega.ch

Published Spring 2006  
Subject to modifications, in particular  
technical modifications and errors

