


PIEGA T-Center Speaker



PIEGA
SWITZERLAND

Impulse



PIEGA T-Center Speaker

The center loudspeaker with coaxial ribbon system

TC 40 CX

A large number of tests in international hi-fi magazines emphasize the quality and the significance of the world's only PIEGA coaxial ribbon system, describing it as a masterpiece and milestone in loudspeaker development. Designed to meet the most exacting requirements, the PIEGA TC 40 CX center loudspeaker offers a virtually perfect impulse response thanks to the excellent combination of the unique PIEGA coaxial ribbon system and two singular 15 cm bass chassis with MOM®-Technology (Magnetic Optimized Motor). In other words, an as yet unknown level of sound perfection.

The center loudspeaker for TP and TC Series

TC 40 C

The PIEGA TC 40 C model stands out with its sound quality and optimum spatial imaging. Featuring the unique PIEGA LDR Ribbon tweeter, this 2 1/2-way center loudspeaker offers scintillating sound reproduction with an unembellished directness and clarity only possible with the unique ribbon technology. Thanks to its exemplary sound transmission, the PIEGA TC 40 C center loudspeaker offers outstanding musical enjoyment from any location in the listening environment. Home cinema lovers will be delighted.

The compact center loudspeaker with LDR ribbon tweeter


TP 4 C

The PIEGA TP 4 C was designed for demanding requirements and combines outstanding home cinema quality with modest dimensions. It comes with all the technical benefits of the TP Series for the creation of systems with an awe-inspiring performance even when space is at a premium.

The center loudspeaker for TS Series

TS 4 C

When used in combination with the TS 5 and TS 3, the TS 4 C center loudspeaker enables you to create a home cinema system with a really live character. This loudspeaker also boasts the impressive design features of the new TS Series. Due to its symmetrical radiation properties, the TS 4 C offers excellent use as a rear loudspeaker.



TC 40 CX



TC 40 C



TP 4 C







TS 4 C



Technical Data

Model	TC 40 CX	TC 40 C	TP 4 C
Design principle	3-way center loudspeaker	2 1/2-way center loudspeaker	2-way center loudspeaker
Recommended amplifier output	20 – 250 Watt	20 – 200 Watt	20 – 150 Watt
Sensitivity	91 db/W/m	91 db/W/m	90 db/W/m
Impedance	4 Ohm	4 Ohm	4 Ohm
Frequency range	35 Hz – 50 kHz +/- 2 dB	40 Hz – 50 kHz +/- 2 dB	50 Hz – 50 kHz +/- 2 dB
Equipment	2 15 cm MOM® bass woofers 1 C2 Coaxial Ribbon system	2 13cm MDS® bass woofers 1 LDR Ribbon tweeter	2 10 cm MDS® bass woofers 1 LDR Ribbon tweeter
Connection	WBT	WBT	Multi-Connectors
Dimensions (HxWxD)	19 x 61 x 22 cm	19 x 61 x 22 cm	14 x 51 x 16 cm
Weight	16 kg	12 kg	6.5 kg
Finish	Aluminium cabinet, Grill metal black, Grill silver optional	Aluminium cabinet, Grill metal black, Grill silver optional	Aluminium cabinet, Grill metal black, Grill silver optional

Model	TS 4 C
Design principle	2-way center loudspeaker
Recommended amplifier output	20 – 150 Watt
Sensitivity	90 db/W/m
Impedance	4 Ohm
Frequency range	50 Hz – 22 kHz +/- 2 dB
Equipment	2 10 cm MDS® bass woofers 1 26 mm LDS dome
Connection	Multi-Connectors
Dimensions (HxWxD)	14 x 41 x 16 cm
Weight	6 kg
Finish	Aluminium cabinet, Grill metal black, Grill silver optional



Service

PIEGA offers first-class service and six years warranty on all loudspeakers, as well as three years on the electronics.

PIEGA SA
Bahnhofstrasse 29
CH-8810 Horgen
Telephone +41 44 725 90 42
Fax +41 44 725 91 92
mail@piega.ch
www.piega.ch

Information for Exports

PIEGA SA
Bahnhofstrasse 29
CH-8810 Horgen
Telephone +41 44 725 90 02
Fax +41 44 725 91 92
mail@piega.ch
www.piega.ch

Published Autumn 2006
Subject to modifications, in particular
technical modifications and errors

